


CAT 6A SHIELDED CABLE

nT02GX12



nT
n - TECH SOLUTIONS
SOLUTIONS FOR GROWTH




DESCRIPTION

nT2GX12 CAT 6A Cable is shielded twisted pair network cable. Cat 6 A shielded cable is the important part of the high speed structured cabling systems, CAT 6A Shielded twisted pair cable supports 10 Gbps standard . Each pair is aluminium foiled and overall outer aluminium foil and drain wire . This cable exceeds the requirements of TIA/EIA-568.C.3 Category 6 ISO/IEC Class E . It is a 4 pair 23 awg solid conductor cable. Each pair is coloured differently for identification . Available in 500 mtrs reel packing . Available in orange colour.

CAT 6A SHIELDED CABLE



nT02GX12



Specification

Conductor	:	Solid Bare Electrolytic Grade Copper
Conductor Size	:	23 AWG
Shield	:	Each pair foiled and overall foil and shield wire
Insulation	:	Skin foamed PE
Insulation Size	:	1.38 ± 0.05mm
Twisted Pair - Identification	:	Colour coded 4 twisted pairs
Jacket	:	LSZH
Sheathing colour	:	Orange
Cable Diameter - (Approx)	:	7.6 mm
Speed	:	10 Gbps
Packing	:	500 m reel

CAT 6A SHIELDED CABLE



Cross section

