



CAMERA CEILING MOUNT 3-6 FT

nT7BB01

Universal ceiling mount for PTZ cameras and video bars with telescopic height adjustment and concealed cable routing. Built from powder coated CR steel for rigidity and low vibration, it fits a wide range of devices via multiple mounting holes in camera plate.

Colour Options






Specifications

Material	: Powder-coated CR steel (approx. 1.5–2.0mm gauge)
Plate size	: 210×280mm
Height adjustment	: 3ft to 6ft (telescopic 3+3ft)
Rotation	: 360° at the pole
Cable management	: Internal, concealed through telescopic pipe
Weight capacity	: 15kg
Colours	: Black or White



- Telescopic height adjustment: 3 ft + 3 ft (up to 6 ft total)
- 210 × 280 mm universal mounting plate with multiple hole patterns




- 15 kg load capacity with rugged CR steel construction
- 1.5 / 2.0 mm powder coated steel for durability and zero vibration




- Concealed cable routing through telescopic pole
- 360° rotation for flexible camera orientation




7BB01 - CAMERA CEILING MOUNT



FRONT VIEW



SIDE VIEW



ISOMETRIC VIEW

Webpage



Youtube



Δ | dimensions are in mm

APPLICATIONS



Control Rooms



Corporate Lobbies




Digital Signage



Auditoriums

ASSEMBLY DRAWING



PACKING LIST

CONTENT-7CB02			
S.No:	PART PREVIEW	DESCRIPTION	QUANTITY
1		CAMERA CLAMP POLE	1 SET
2		CAMERA MOUNT	1
SCREW LIST			
A		C CLAMP	1
B		ALLEN BOLT M6X16	2
C		M8 ANCHOR BOLT	4
D		M8 WASHER	2